

## Quassel IRC - Bug #1089

### Preview of website with WebGL makes Quassel crash

08/02/2011 01:23 PM - quazgar

|                        |          |                        |            |
|------------------------|----------|------------------------|------------|
| <b>Status:</b>         | Resolved | <b>Start date:</b>     | 08/02/2011 |
| <b>Priority:</b>       | Normal   | <b>Due date:</b>       |            |
| <b>Assignee:</b>       |          | <b>% Done:</b>         | 100%       |
| <b>Category:</b>       |          | <b>Estimated time:</b> | 0.00 hour  |
| <b>Target version:</b> | 0.7.4    | <b>OS:</b>             | Any        |
| <b>Version:</b>        | 0.7.2    |                        |            |

**Description**

Application: quassel (v0.7.2 (dist-f93ace0))  
KDE Platform Version: 4.6.2 (4.6.2)  
Qt Version: 4.7.2  
Operating System: Linux 2.6.38-10-generic x86\_64  
Distribution: Ubuntu 11.04

-- Information about the crash:

Quassel crashes on Kubuntu 11.04 when trying to display a preview (hovering the mouse over the link) of a web page which happens to contain some WebGL code. The backtrace follows.

Reproducible: Yes, every time.

Example link to make Quassel crash:  
<http://www.ibiblio.org/e-notes/webgl/gpu/waves/barkley.html>

-- Backtrace:

Application: Quassel IRC (quassel), signal: Aborted  
[Current thread is 1 (Thread 0x7f8b61992820 (LWP 25052))]

Thread 7 (Thread 0x7f8b44a2e700 (LWP 25053)):

```
#0 __lll_lock_wait_private () at ../nptl/sysdeps/unix/sysv/linux/x86_64/lowlevellock.S:97
#1 0x00007f8b5b36f845 in __L_lock_12280 () from /lib/x86_64-linux-gnu/libc.so.6
#2 0x00007f8b5b36dafd in __libc_realloc (oldmem=0x7f8b5b6801c0, bytes=1024) at malloc.c:3813
#3 0x00007f8b613eb9bb in QString::realloc (this=0x2803478, alloc=496) at tools/qstring.cpp:1319
#4 0x00007f8b613ebe0f in QString::append (this=0x2803478, str=...) at tools/qstring.cpp:1534
#5 0x00007f8b614374e0 in write (this=0x2803480, string=<value optimized out>) at io/qtextstream.cpp:915
#6 putString (this=0x2803480, string=<value optimized out>) at io/qtextstream.cpp:996
#7 QTextStream::operator<< (this=0x2803480, string=<value optimized out>) at io/qtextstream.cpp:2525
#8 0x0000000000520466 in ?? ()
#9 0x00007f8b6139aa7e in qt_message_output (msgType=QtWarningMsg, buf=<value optimized out>) at global/qglobal.cpp:2228
#10 0x00007f8b6139ac8f in qt_message(QtMsgType, const char *, typedef __va_list_tag __va_list_tag *) (msgType=QtWarningMsg, msg=0x7f8b61548970 "QSocketNotifier: Invalid socket %d and type '%s', disabling...", ap=0x7f8b44a2da90) at global/qglobal.cpp:2328
#11 0x00007f8b6139b3f1 in qWarning (msg=<value optimized out>) at global/qglobal.cpp:2410
#12 0x00007f8b614b5e4c in socketNotifierSourceCheck (source=0x2b1b680) at kernel/qeventdispatcher_glib.cpp:90
#13 0x00007f8b5aa1f854 in g_main_context_check () from /lib/x86_64-linux-gnu/libglib-2.0.so.0
#14 0x00007f8b5aa20122 in ?? () from /lib/x86_64-linux-gnu/libglib-2.0.so.0
#15 0x00007f8b5aa20639 in g_main_context_iteration () from /lib/x86_64-linux-gnu/libglib-2.0.so.0
#16 0x00007f8b614b63ef in QEventDispatcherGlib::processEvents (this=0x2b1bac0, flags=<value optimized out>) at kernel/qeventdispatcher_glib.cpp:422
#17 0x00007f8b6148a882 in QEventLoop::processEvents (this=<value optimized out>, flags=...) at kernel/qeventloop.cpp:149
#18 0x00007f8b6148aabc in QEventLoop::exec (this=0x7f8b44a2dd30, flags=...) at kernel/qeventloop.cpp:201
#19 0x00007f8b613a1924 in QThread::exec (this=<value optimized out>) at thread/qthread.cpp:492
#20 0x00007f8b6146cc2f in QNotifyFileSystemWatcherEngine::run (this=0x2b1afe0) at io/filesystemwatcher_inotify.cpp:248
#21 0x00007f8b613a4175 in QThreadPrivate::start (arg=0x2b1afe0) at thread/qthread_unix.cpp:320
#22 0x00007f8b5da0ad8c in start_thread (arg=0x7f8b44a2e700) at pthread_create.c:304
#23 0x00007f8b5b3d704d in clone () at ../sysdeps/unix/sysv/linux/x86_64/clone.S:112
#24 0x0000000000000000 in ?? ()
```

Thread 6 (Thread 0x7f8b3f7e700 (LWP 25055)):

#0 0x00007f8b5b3c9f03 in \_\_poll (fds=<value optimized out>, nfd=<value optimized out>, timeout=<value optimized out>) at ../sysdeps/unix/sysv/linux/poll.c:87  
#1 0x00007f8b5aa20104 in ?? () from /lib/x86\_64-linux-gnu/libglib-2.0.so.0  
#2 0x00007f8b5aa209f2 in g\_main\_loop\_run () from /lib/x86\_64-linux-gnu/libglib-2.0.so.0  
#3 0x00007f8b55876c44 in ?? () from /usr/lib/x86\_64-linux-gnu/libgio-2.0.so.0  
#4 0x00007f8b5aa473e4 in ?? () from /lib/x86\_64-linux-gnu/libglib-2.0.so.0  
#5 0x00007f8b5da0ad8c in start\_thread (arg=0x7f8b3f7e700) at pthread\_create.c:304  
#6 0x00007f8b5b3d704d in clone () at ../sysdeps/unix/sysv/linux/x86\_64/clone.S:112  
#7 0x0000000000000000 in ?? ()

Thread 5 (Thread 0x7f8b3ea1b700 (LWP 25056)):

#0 \_\_lll\_lock\_wait\_private () at ../nptl/sysdeps/unix/sysv/linux/x86\_64/lowlevellock.S:97  
#1 0x00007f8b5b36f845 in \_\_L\_lock\_12280 () from /lib/x86\_64-linux-gnu/libc.so.6  
#2 0x00007f8b5b36dafd in \_\_libc\_realloc (oldmem=0x7f8b5b6801c0, bytes=1024) at malloc.c:3813  
#3 0x00007f8b613eb9bb in QString::realloc (this=0x2803478, alloc=496) at tools/qstring.cpp:1319  
#4 0x00007f8b613ebe0f in QString::append (this=0x2803478, str=...) at tools/qstring.cpp:1534  
#5 0x00007f8b614374e0 in write (this=0x2803480, string=<value optimized out>) at io/qtextstream.cpp:915  
#6 putString (this=0x2803480, string=<value optimized out>) at io/qtextstream.cpp:996  
#7 QTextStream::operator<< (this=0x2803480, string=<value optimized out>) at io/qtextstream.cpp:2525  
#8 0x0000000000520466 in ?? ()  
#9 0x00007f8b6139aa7e in qt\_message\_output (msgType=QtWarningMsg, buf=<value optimized out>) at global/qglobal.cpp:2228  
#10 0x00007f8b6139ac8f in qt\_message(QtMsgType, const char \*, typedef \_\_va\_list\_tag \_\_va\_list\_tag \*) (msgType=QtWarningMsg, msg=0x7f8b61548970 "QSocketNotifier: Invalid socket %d and type '%s', disabling...", ap=0x7f8b3ea1aaa0) at global/qglobal.cpp:2328  
#11 0x00007f8b6139b3f1 in qWarning (msg=<value optimized out>) at global/qglobal.cpp:2410  
#12 0x00007f8b614b5e4c in socketNotifierSourceCheck (source=0x2bbb8b0) at kernel/qeventdispatcher\_glib.cpp:90  
#13 0x00007f8b5aa1f854 in g\_main\_context\_check () from /lib/x86\_64-linux-gnu/libglib-2.0.so.0  
#14 0x00007f8b5aa20122 in ?? () from /lib/x86\_64-linux-gnu/libglib-2.0.so.0  
#15 0x00007f8b5aa20639 in g\_main\_context\_iteration () from /lib/x86\_64-linux-gnu/libglib-2.0.so.0  
#16 0x00007f8b614b63ef in QEventDispatcherGlib::processEvents (this=0x2bf9c60, flags=<value optimized out>) at kernel/qeventdispatcher\_glib.cpp:422  
#17 0x00007f8b6148a882 in QEventLoop::processEvents (this=<value optimized out>, flags=...) at kernel/qeventloop.cpp:149  
#18 0x00007f8b6148aabc in QEventLoop::exec (this=0x7f8b3ea1ad40, flags=...) at kernel/qeventloop.cpp:201  
#19 0x00007f8b613a1924 in QThread::exec (this=<value optimized out>) at thread/qthread.cpp:492  
#20 0x0000000000056aed3 in ?? ()  
#21 0x00007f8b613a4175 in QThreadPrivate::start (arg=0x2bf9c20) at thread/qthread\_unix.cpp:320  
#22 0x00007f8b5da0ad8c in start\_thread (arg=0x7f8b3ea1b700) at pthread\_create.c:304  
#23 0x00007f8b5b3d704d in clone () at ../sysdeps/unix/sysv/linux/x86\_64/clone.S:112  
#24 0x0000000000000000 in ?? ()

Thread 4 (Thread 0x7f8b3e21a700 (LWP 25057)):

#0 pthread\_cond\_wait@@GLIBC\_2.3.2 () at ../nptl/sysdeps/unix/sysv/linux/x86\_64/pthread\_cond\_wait.S:162  
#1 0x00007f8b600372a2 in QTWTF::TCMalloc\_PageHeap::scavengerThread (this=0x7f8b60350180) at ../3rdparty/javascriptcore/JavaScriptCore/wtf/FastMalloc.cpp:2359  
#2 0x00007f8b600372d9 in QTWTF::TCMalloc\_PageHeap::runScavengerThread (context=0x7f8b6035e254) at ../3rdparty/javascriptcore/JavaScriptCore/wtf/FastMalloc.cpp:1464  
#3 0x00007f8b5da0ad8c in start\_thread (arg=0x7f8b3e21a700) at pthread\_create.c:304  
#4 0x00007f8b5b3d704d in clone () at ../sysdeps/unix/sysv/linux/x86\_64/clone.S:112  
#5 0x0000000000000000 in ?? ()

Thread 3 (Thread 0x7f8b3ce9d700 (LWP 29249)):

#0 pthread\_cond\_wait@@GLIBC\_2.3.2 () at ../nptl/sysdeps/unix/sysv/linux/x86\_64/pthread\_cond\_wait.S:162  
#1 0x00007f8b5f1a6832 in ?? () from /usr/lib/libQtWebKit.so.4  
#2 0x00007f8b5da0ad8c in start\_thread (arg=0x7f8b3ce9d700) at pthread\_create.c:304  
#3 0x00007f8b5b3d704d in clone () at ../sysdeps/unix/sysv/linux/x86\_64/clone.S:112  
#4 0x0000000000000000 in ?? ()

Thread 2 (Thread 0x7f8b3ffff700 (LWP 29250)):

#0 pthread\_cond\_timedwait@@GLIBC\_2.3.2 () at ../nptl/sysdeps/unix/sysv/linux/x86\_64/pthread\_cond\_timedwait.S:216  
#1 0x00007f8b613a479e in wait (this=<value optimized out>, mutex=0x2d9b0a0, time=30000) at thread/qwaitcondition\_unix.cpp:86  
#2 QWaitCondition::wait (this=<value optimized out>, mutex=0x2d9b0a0, time=30000) at thread/qwaitcondition\_unix.cpp:160  
#3 0x00007f8b61399218 in QThreadPoolThread::run (this=0x2d9ac10) at concurrent/qthreadpool.cpp:140  
#4 0x00007f8b613a4175 in QThreadPrivate::start (arg=0x2d9ac10) at thread/qthread\_unix.cpp:320  
#5 0x00007f8b5da0ad8c in start\_thread (arg=0x7f8b3ffff700) at pthread\_create.c:304  
#6 0x00007f8b5b3d704d in clone () at ../sysdeps/unix/sysv/linux/x86\_64/clone.S:112  
#7 0x0000000000000000 in ?? ()

Thread 1 (Thread 0x7f8b61992820 (LWP 25052)):

[KCrash Handler]

- #6 0x00007f8b5b324d05 in raise (sig=6) at ../nptl/sysdeps/unix/sysv/linux/raise.c:64
- #7 0x00007f8b5b328ab6 in abort () at abort.c:92
- #8 0x00007f8b5b35dd7b in \_\_libc\_message (do\_abort=2, fmt=0x7f8b5b446400 "\*\*\*\* glibc detected \* s: %s: 0x%s \n") at ../sysdeps/unix/sysv/linux/libc\_fatal.c:189
- #9 0x00007f8b5b369a8f in malloc\_printerr (av=<value optimized out>, p=0x7ffe9ed5810) at malloc.c:6283
- #10 \_int\_free (av=<value optimized out>, p=0x7ffe9ed5810) at malloc.c:4795
- #11 0x00007f8b5b36d8e3 in \_\_libc\_free (mem=<value optimized out>) at malloc.c:3738
- #12 0x00007f8b6149dc14 in QObjectPrivate::deleteChildren (this=0x2f99680) at kernel/qobject.cpp:1964
- #13 0x00007f8b60894ef2 in QWidget::~QWidget (this=0x31cab70, \_\_in\_chrg=<value optimized out>) at kernel/qwidget.cpp:1631
- #14 0x00007f8b5ef11b99 in QWebView::~QWebView() () from /usr/lib/libQtWebKit.so.4
- #15 0x00007f8b60e35144 in QGraphicsProxyWidget::~QGraphicsProxyWidget (this=<value optimized out>, \_\_in\_chrg=<value optimized out>) at graphicsview/qgraphicsproxywidget.cpp:554
- #16 0x00007f8b60e35199 in QGraphicsProxyWidget::~QGraphicsProxyWidget (this=0x7f8b38004820, \_\_in\_chrg=<value optimized out>) at graphicsview/qgraphicsproxywidget.cpp:556
- #17 0x00007f8b60e22275 in QGraphicsItem::~QGraphicsItem (this=0x3173a30, \_\_in\_chrg=<value optimized out>) at graphicsview/qgraphicsitem.cpp:1481
- #18 0x00000000004dbd69 in ?? ()
- #19 0x00000000004bbba8 in ?? ()
- #20 0x00000000004dd9f3 in ?? ()
- #21 0x00007f8b614a05f8 in QObject::activate (sender=0x2e18240, m=<value optimized out>, local\_signal\_index=<value optimized out>, argv=0x0) at kernel/qobject.cpp:3287
- #22 0x00007f8b6149f1c9 in QObject::event (this=0x2e18240, e=<value optimized out>) at kernel/qobject.cpp:1190
- #23 0x00007f8b608489f4 in QApplicationPrivate::notify\_helper (this=0x2746240, receiver=0x2e18240, e=0x7ffe9ed5530) at kernel/qapplication.cpp:4462
- #24 0x00007f8b6084d3ba in QApplication::notify (this=<value optimized out>, receiver=0x2e18240, e=0x7ffe9ed5530) at kernel/qapplication.cpp:4341
- #25 0x00007f8b5cee2866 in KApplication::notify (this=0x7ffe9ed6eb0, receiver=0x2e18240, event=0x7ffe9ed5530) at ../../kdeui/kernel/kapplication.cpp:311
- #26 0x00007f8b6148b49c in QCoreApplication::notifyInternal (this=0x7ffe9ed6eb0, receiver=0x2e18240, event=0x7ffe9ed5530) at kernel/qcoreapplication.cpp:731
- #27 0x00007f8b614b8f12 in sendEvent (this=0x274fc30) at ../../include/QtCore/../../src/corelib/kernel/qcoreapplication.h:215
- #28 QTimerInfoList::activateTimers (this=0x274fc30) at kernel/qeventdispatcher\_unix.cpp:604
- #29 0x00007f8b614b5d18 in timerSourceDispatch (source=<value optimized out>) at kernel/qeventdispatcher\_glib.cpp:184
- #30 idleTimerSourceDispatch (source=<value optimized out>) at kernel/qeventdispatcher\_glib.cpp:231
- #31 0x00007f8b5aa1fbcd in g\_main\_context\_dispatch () from /lib/x86\_64-linux-gnu/libglib-2.0.so.0
- #32 0x00007f8b5aa203a8 in ?? () from /lib/x86\_64-linux-gnu/libglib-2.0.so.0
- #33 0x00007f8b5aa20639 in g\_main\_context\_iteration () from /lib/x86\_64-linux-gnu/libglib-2.0.so.0
- #34 0x00007f8b614b63ef in QEventDispatcherGlib::processEvents (this=0x26f4350, flags=<value optimized out>) at kernel/qeventdispatcher\_glib.cpp:422
- #35 0x00007f8b608f24de in QGuiEventDispatcherGlib::processEvents (this=<value optimized out>, flags=<value optimized out>) at kernel/qguieventdispatcher\_glib.cpp:204
- #36 0x00007f8b6148a882 in QEventLoop::processEvents (this=<value optimized out>, flags=...) at kernel/qeventloop.cpp:149
- #37 0x00007f8b6148aabc in QEventLoop::exec (this=0x7ffe9ed57a0, flags=...) at kernel/qeventloop.cpp:201
- #38 0x00007f8b60d09fd6 in QDialog::exec (this=0x7ffe9ed5820) at dialogs/qdialog.cpp:552
- #39 0x00007f8b60d2a4a2 in showMessageBox (parent=<value optimized out>, title=<value optimized out>, text=<value optimized out>, buttons=..., defaultButton=QMessageBox::NoButton) at dialogs/qmessagebox.cpp:1531
- #40 0x00007f8b60d2a5ff in QMessageBox::information (parent=<value optimized out>, title=<value optimized out>, text=<value optimized out>, buttons=<value optimized out>, defaultButton=<value optimized out>) at dialogs/qmessagebox.cpp:1560
- #41 0x00007f8b5ef0c4e1 in QWebPage::javascriptAlert(QWebFrame, QString const&)(x) () from /usr/lib/libQtWebKit.so.4
- #42 0x00007f8b5eee7e0f in ?? () from /usr/lib/libQtWebKit.so.4
- #43 0x00007f8b5ed25eb0 in ?? () from /usr/lib/libQtWebKit.so.4
- #44 0x00007f8b5e8134ef in ?? () from /usr/lib/libQtWebKit.so.4
- #45 0x00007f8b617e31b4 in ?? ()
- #46 0x00007f8b36f36110 in ?? ()
- #47 0x0000000000000001 in ?? ()
- #48 0x0000000000000000 in ?? ()

**Related issues:**

Has duplicate Quassel IRC - Bug #1134: Quassel client crashes after generatin...

Closed

01/17/2012

**Associated revisions**

Revision 54a5d32d35101d5fbc2687665d52415ca3a6aca - 01/20/2012 07:27 PM - kode54

Disables JavaScript, which fixes #1089 and other issues related to modal dialogs inside the preview crashing when the preview is destroyed.

**Revision 54a5d32d - 01/20/2012 07:27 PM - kode54**

Disables JavaScript, which fixes #1089 and other issues related to modal dialogs inside the preview crashing when the preview is destroyed.

**Revision ebbf83b1e06bde94deaab15f5d4f10f29cf1fab2 - 01/21/2012 08:09 PM - kode54**

Disables JavaScript, which fixes #1089 and other issues related to modal dialogs inside the preview crashing when the preview is destroyed.

**Revision ebbf83b1 - 01/21/2012 08:09 PM - kode54**

Disables JavaScript, which fixes #1089 and other issues related to modal dialogs inside the preview crashing when the preview is destroyed.

**History**

---

**#1 - 01/21/2012 08:09 PM - kode54**

- *Status changed from New to Resolved*
- *% Done changed from 0 to 100*

Applied in changeset [54a5d32d35101d5fbc2687665d52415ca3a6aca](#).

**#2 - 01/21/2012 08:39 PM - johu**

- *Target version set to 0.7.4*