

## Quassel IRC - Bug #1488

### Store and display a STATUSMSG correctly

07/20/2018 12:46 PM - genius3000

<b>Status:</b>	New	<b>Start date:</b>	07/20/2018
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	Some future release	<b>OS:</b>	Any
<b>Version:</b>	0.12.4		
<b>Description</b>			
<p>This is just to track and not forget that Quassel's handling of a STATUSMSG needs more work. While mamarley's patch fixed the major issue of treating them as a query, displaying them without the appropriate information (prefix character sent to) is technically incorrect.</p> <p>As stated in the original issue (<a href="#">#1399</a>), a STATUSMSG is used to communicate with only the users of a specified status (prefix) in a channel. We need to show this prefix to the client, so the end user knows it was a STATUSMSG.</p> <p>First half: core: these are currently saved as a STATUSMSG type, but the prefix is lost (iirc). We'll need to save this prefix, I'm thinking the best is to add a new column of 'statusmsg'.</p> <p>Second hand: client: displaying that it's a STATUSMSG. I like the method described in the original issue, i.e "&lt;genius3000:#mychan&gt;" would be shown as the sender of the message. This may be problematic with view column sizing, and perhaps prepending a "@#mychan" to the message display would be better?</p>			
<b>Related issues:</b>			
Related to Quassel IRC - Bug #1399: Quassel shows STATUSMSG messages as queries		<b>Resolved</b>	<b>03/10/2016</b>

### History

**#1 - 07/20/2018 12:46 PM - genius3000**

- Related to Bug #1399: Quassel shows STATUSMSG messages as queries added