

Quassel IRC - Bug #866

Rejoining a temporarily hidden channel or query does not unhide it

12/03/2009 09:29 AM - Topy44

Status:	Resolved	Start date:	12/03/2009
Priority:	Normal	Due date:	
Assignee:		% Done:	100%
Category:	Quassel Client	Estimated time:	0.00 hour
Target version:	0.7.4	OS:	Any
Version:	0.7.2		
Description			
If i part a channel and temporarily hide it, and later rejoin the channel, the channel stays hidden until there is activity. Auto-hiding is off. This could be considered a "missing feature" rather than a bug, but its a relevant usability issue IMHO, as it requires manually un hiding the channel again. The same applies for hidden queries (/query user should unhide it).			
Tested with 0.5.1 dist-7cae1af on Win XP. (Why can't i select 0.5.1 as version?)			
Related issues:			
Is duplicate of Quassel IRC - Bug #342: A hidden query buffer won't be redisp...			Closed

Associated revisions

Revision ed178d5c517ad031444fc64f1f85f9ea7a926e15 - 01/20/2012 07:20 PM - Bas Pape

Unhide buffer when joining or querying and it was temporarily hidden. fixes #866

Revision ed178d5c - 01/20/2012 07:20 PM - Bas Pape

Unhide buffer when joining or querying and it was temporarily hidden. fixes #866

Revision 488a571c98062ec03287f5bcf2b4fb16aedd5b2 - 01/21/2012 08:08 PM - Bas Pape

Unhide buffer when joining or querying and it was temporarily hidden. fixes #866

Revision 488a571c - 01/21/2012 08:08 PM - Bas Pape

Unhide buffer when joining or querying and it was temporarily hidden. fixes #866

History

#1 - 08/04/2010 09:43 PM - Anonymous

Agreed -- if the buffer is manually activated, it should automatically unhide [at least w/ "temporarily hidden" buffers]

#2 - 01/21/2012 08:09 PM - Anonymous

- Status changed from New to Resolved

- % Done changed from 0 to 100

Applied in changeset [ed178d5c517ad031444fc64f1f85f9ea7a926e15](#).

#3 - 01/21/2012 08:46 PM - johu

- Target version set to 0.7.4

- Version changed from 0.5.0 to 0.7.2